

HTDFL: COMPLETE TWIN CAM ULTRA CLASSIC® ELECTRA GLIDE®/
ELECTRA GLIDE® CLASSIC KIT
INCLUDES 209 PIECES

HOT TOPPERS® are manufactured to fit American Standard fasteners.

There are some rare occasions where even though the nut or bolt is an American standard fastener, the Hot Topper® may not achieve a friction fit. In this case we recommend using a Napa clear silicone (Napa Auto part # 765-1481) to achieve a secure fitment. DO NOT USE ADHESIVE PRODUCTS to mount Hot Toppers®. The Napa product we recommend will allow for an easier removal if service is performed. We simply fill our cover with the necessary amount of silicone to achieve a firm hold on the fastener, yet beware that the silicone will expand when it sets up, so don't over fill our part. A little less goes a long way. Please email info@hottoppers.com or call our toll free USA number 877-446-8867 with any questions or comments.

HTD100	10	Left side primary cover bolts	
	1	Left side in front of shift lever right in front of engine	
	1	Crankshaft position sensor bolt in front of cylinders on left side next to oil filter	
	2	Front of bottom saddlebag support arms bolt underneath the saddlebag	
	5	Right side upper transmission housing cover bolts	
	1	Right side speed sensor bolt on top of transmission housing	
	6	Right side clutch release cover	
	2	On transmission housing bolt in front of clutch release cover	
	1	Right side in front of clutch release cover on top mounting bolt for oil cover	
	10	Cam cover bolts right side	
	8	Lifter cover push rod bolts right side	
	4	Right side behind clutch release cover on the oil filler spout	
	1	On oil pan bolt on underside of oil tank and transmission housing	
	HTD181	4	Over small 12-point bolts on front brake calipers
	HTD200	1	Left side SILICONE on the top of shift lever bolt
1		Over bolt on rear shifter rod lever behind the inner primary cover	
3		On the right side under the clutch release cover on transmission housing	
1		Top screw on engine guard behind front fender	
2		Right side starter housing mounting bolts behind upper transmission cover	
4		SILICONE on left and right side front brake line to brake caliper mounting bolts, rear master cylinder banjo bolt in front of right side footboard, and front master cylinder banjo fitting on right side of handlebars	
HTD211	2	Regulator assembly to frame mounting nuts	
	7	Hex nuts around bottom side of touring box	
	2	Front of bottom saddlebag support arms mounting nut underneath the saddlebag	
	4	Left and right side front and rear saddlebag mounting bracket bolts	
	1	On the middle oil filter mounting kit bolt	
	1	SILICONE on right side exhaust clamp mounting bolt, middle of bike	
HTD220	1	Snip off stem of mushroom cap, file it evenly down, and SILICONE it over the casing hole in front of the clutch release cover on transmission housing	
HTD265	10	Front brake disc mounting bolts	

	2	On both inner fairing lowers screws that clamps the lowers to the engine guard (Only for Ultra Classic® Electra Glide®)
	4	Left and right side front of saddlebag guard mounts
	1	Right side in front of clutch release cover on middle mounting bolt for oil hose cover
	1	SILICONE in the center of the choke knob (Only on carbureted models)
HTD282	8	Large 12-point bolts on front brake calipers
HTD288	8	SILICONE on rocker cover bolts, requires a few drops of SILICONE on stem
HTD300	2	On the right side over the nuts on the bottom of fork leg at the front axle
	2	Left and right side rear footboard mounting bolts
	1	SILICONE over the exhaust mounting nut at the starter support bracket
HTD311	8	On left side on engine case bolts under cylinder heads
	3	Left side kickstand mounting plate bolts
	2	Over front gas tank mounting bolts left and right side
	2	Both sides fork tube drain plug
HTD344	1	Left side SILICONE on the top of the kickstand mounting bolt
HTD365	1	SILICONE on the mounting bolt in the middle of the air cleaner cover
HTD400	2	Left and right side bottom engine guard SILICONE over mounting bolts
	1	SILICONE over the large nut on the right side rear brake pedal mount at pivot under the front floorboard
HTD420	2	Left side footboard mounting plate bolts near swing arm
	2	Right side footboard mounting plate bolts (IMPORTANT: On the lower bolt, because of the clearance between the exhaust pipe and the bolt, it is necessary to cut out 1/3 of the ribbed outer rim of the HTD420 and then SILICONE the part as you engage the piece from the top)
HTD500	2	Front of motor on the stabilizer arm bolts on the front engine mount
	2	Front lower engine mount bolts
	2	On left side upper motor mount bolts above horn under gas tank (NOTE: If you do not achieve a friction fit for the additional <u>parts listed below</u>, you may need to apply a small dab of SILICONE to the inner walls)
	4	Left and right side fairing support bracket bolts on sides of passing lamp bracket
	4	On smooth bolts facing rear of bike connecting the saddlebag support bar to the support bracket
	4	On the saddlebag guard to support bracket mount covers the smooth bolts facing the rear of the saddlebag
	4	On the top saddlebag support bracket mount bolts
HTD600	4	Left and right side upper and lower engine to transmission bolts
	3	SILICONE over exhaust nuts 1 on left and 2 on right (SILICONE REQUIRED although our cover slides over nut, the stud prevents total engagement so add some SILICONE)
HTD708	1	Conversion kit!! Replace button torx screws on brake and clutch housings with supplied allen bolts and press on Hot Toppers®

- | | | |
|--------|---|---|
| HTD728 | 1 | Conversion kit!! Replace button torx screws on derby and inspection covers with supplied allen bolts and press on Hot Toppers® (IMPORTANT: when replacing each button torx screw with allen bolt, make sure the allen bolt is the exact length of the button torx bolt. Also be sure to only change one bolt at a time so the gaskets do not loosen) |
| HTD777 | 1 | Snap black sleeve into chrome Hot Topper®, then slide the slotted sleeve over the left side hex axle nut and the Hot Topper® without the sleeve on the right side axle rod |
| HTD820 | 2 | SILICONE over polished circle plates in center of rear footboard mounting plates |

ADDITIONAL OPTIONS NOT INCLUDED

- | | | |
|--------|---|--|
| HTD100 | 1 | Right side SILICONE on the rear footboard mounting plate electrical clamp bolt |
| | 2 | SILICONE above the air cleaner on the top carburetor screws |
| HTD200 | 8 | SILICONE over left and right side air deflector mounting black screws on inner Faring |
| | 2 | SILICONE over lower fork and bracket assembly mounting bolts below the rubber fork stops |
| HTD265 | 4 | SILICONE over backside of rear footboard mounting screws |
| HTD400 | 2 | On lower front inner frame to engine mount bolts behind front fender |
| HTD500 | 3 | Lower front of frame below the regulator frame to engine mounting bolts |
| HTD555 | 2 | SILICONE on backside of left and right side lower triple tree, top of shocks (small hex bolts) |
| HTD555 | 1 | Right side SILICONE below oil filler spout behind exhaust pipe on electrical bracket bolt |
| HTD600 | 2 | On lower front inner frame to engine mount bolts behind front fender |
| | 4 | SILICONE on back side nut end of the smooth bolts facing the rear of bike connecting the saddlebag support bar to the support bracket |
| HTD820 | 1 | SILICONE on engine oil filler cap |